

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

| | | | |
|---|---|--|-------------------------------|
| Establishment Name FRISCH'S | Telephone Number Est 812-948-1972 Own (513) 961-2660 | Date of Inspection 08/15/2022 | ID# |
| Address 804 HAUSFELDT LANE, NEW ALBANY IN 47150 | | | |
| Owner FRISCH'S | Purpose <u> </u> Routine <u> </u> Follow-up <u> X </u> Complaint <u> </u> Pre-Operational <u> </u> Temporary <u> </u> HACCP <u> </u> Other (list) | Follow Up | Released 08/25/2022 |
| Owner's Address 2800 GILBERT AVE. CINCINNATI, OH 45206- | | Menu Type 1 <u> </u> 2 <u> </u> 3 <u> </u> 4 <u> X </u> 5 <u> </u> | |
| Person in Charge TAMMY RIDENER | | | |
| Responsible Person's Email AJGOINGS2003@GMAIL.COM | | | |
| Certified Food Handler VIVIAN JOHNSON | | | |

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

| Section # | C | NC | R | Narrative | To Be Corrected |
|-----------|---|----|---|--|-----------------|
| 187 | X | | | Observed raw hamburger in cooler beneath the grill to register 42.6F - 44.2F. | TODAY |
| 415 | X | | | Observed flies coming from back trash compactor when it is opened. Establishment needs to have some type of pest control device closer to trash compactor to keep flies from going into kitchen. Fly strips can be used per 410 IAC 7-24-412(b). | 8/22/22 |
| 218 | | X | | Observed maintenance man working on HVAC in dining room. 2 areas of ceiling were removed due to leaking HVAC and floor was wet. Customers were not allowed to dine in those areas and the salad bar had been shut down. | 8/25/22 |
| 310 | | X | | Observed vents above hamburger grills coated in grease and in need of cleaning. | 8/22/22 |
| 430 | | X | | Observed wall paneling underneath trash compactor to be completely ripped off exposing the drywall. | 8/22/22 |

Summary of Violations C 2 NC 3 R 0

Received by (name and title printed):

TAMMY RIDENER

Inspected by (name and title printed):

Christa Manus EHS

Received by (signature):

Inspected by (signature):

Christa Manus

cc:

cc:

cc: